

Measles Non-Susceptible Contact

Client Information [Community]

You have been given this information sheet because you have come in contact with someone who has measles. Measles is highly contagious and is spread through the air.

You are generally not considered at risk for infection because you are immune (protected against measles).

What should I do now?

• **Monitor for symptoms** of measles daily for 21 days since last contact. Monitoring is important because measles can spread to others 4 days before a rash appears and up to 4 days after the rash appears.

What are the symptoms of measles?

 $Images\ provided\ by\ SHA\ [Communications\ Department]\ via\ AdobeStock.$



FEVER

[temperature of 38.3°C or higher]



ANY of the following:

- red eyes
- runny nose
- cough



RASH

[usually starts on face and spreads over the rest of the body about 3 to 7 days after symptoms begin and can last 4 to 7 days]

What should I do I if I have symptoms of measles?

- Call HealthLine 811 for instructions.
- Stay home. Do not go out in public or to school/work/childcare. You should not have visitors to your home.
- If medical attention is necessary, **CALL AHEAD** before presenting to your doctor's office, urgent care, or emergency department so arrangements can be made for you to be seen in a way that reduces the chance of exposing other individuals to measles.
- If you call 911 tell them that you have measles symptoms and have been exposed.

Learn more about measles by visiting the SHA website using the QR Code or visit <u>saskhealthauthority.ca/measles</u>.



